

Comm Hill 2 Phase II Perimeter Sample Results
 Week of November 9th through November 13th, 2020

Sampling Date	P1			P2			P3			P4			P5		
	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc ³
11/9/2020	1	ND	0.0010	ND	ND	<0.0010	ND	ND	<0.0010	1	ND	0.0009	ND	ND	<0.0010
11/10/2020	ND	ND	<0.0010	2	1	0.0029	1	ND	0.0009	ND	ND	<0.0010	1	ND	0.0009
11/11/2020	ND	1	0.0010	ND	ND	<0.0010	3	ND	0.0029	10	ND	0.0096	4	ND	0.0038
11/12/2020	1	ND	0.0009	ND	1	0.0009	2	1	0.0028	1	1	0.0019	ND	1	0.0009
11/13/2020	ND	ND	<0.0010	ND	1	0.0010	2	ND	0.0020	1	2	0.0030	1	2	0.0030
BAAQMD Guidelines <0.016 Structures/cc															

Sampling Date	P6			P7			P8			P9c			P10c		
	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc ³	Chrysotile ¹	Amphibole ²	Structures/cc	Chrysotile	Amphibole	Structures/cc
11/9/2020	ND	ND	<0.0010	ND	ND	<0.0010	3	ND	0.0029	ND	ND	<0.0009	ND	ND	<0.0009
11/10/2020	ND	ND	<0.0010	2	ND	0.0019	ND	ND	<0.0010	2	1	0.0029	21	1	0.0208
11/11/2020	1	ND	0.0010	ND	2	0.0019	ND	2	0.0019	1	2	0.0028	6	1	0.0066
11/12/2020	1	1	0.0019	2	2	0.0038	ND	ND	<0.0010	4	1	0.0048	2	2	0.0037
11/13/2020	ND	ND	<0.0010	ND	ND	<0.0010	1	ND	0.0010	6	2	0.0077	2	ND	0.0020
BAAQMD Guidelines <0.016 Structures/cc															

1 - Chrysotile Asbestos

2 - Amphibole Asbestos - Including regulated and non-regulated amphibole asbestos

3 - Structures/CC - Calculated Asbestos Structure Concentration per CC Air

ND

BAAQMD Guidelines Trigger Level for increased dust control measures