

## Comm Hill 2 Phase II Perimeter Sample Results

Week of December 7th through December 11th, 2020

Sampling Date	P1			P2			P3			P4			P5		
	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>
12/7/2020	1	ND	0.0010	2	2	0.0038	1	ND	0.0009	5	ND	0.0048	ND	ND	<0.0010
12/8/2020	1	3	0.0038	ND	ND	<0.0010	5	2	0.0067	6	ND	0.0057	4	2	0.0057
12/9/2020	5	ND	0.0047	7	4	0.0106	7	ND	0.0067	17	2	0.0183	4	ND	0.0039
12/10/2020	1	2	0.0029	ND	2	0.0019	1	ND	0.0010	ND	ND	<0.0010	1	1	0.0019
12/11/2020	4	1	0.0049	3	ND	0.0029	3	ND	0.0123	1	ND	0.0010	ND	ND	<0.0010
<b>BAAQMD Guidelines</b> <0.016 Structures/cc															

Sampling Date	P6			P7			P8			P9c			P10c		
	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>	Chrysotile <sup>1</sup>	Amphibole <sup>2</sup>	Structures/cc <sup>3</sup>
12/7/2020	ND	ND	<0.0010	ND	ND	<0.0009	6	1	0.0067	ND	ND	<0.0009	9	1	0.0094
12/8/2020	1	ND	0.0010	3	1	0.0039	9	ND	0.0086	9	1	0.0094	24	ND	0.0397
12/9/2020	2	ND	0.0019	2	ND	0.0019	4	1	0.0048	1	ND	0.0010	4	1	0.0048
12/10/2020	ND	2	0.0019	2	4	0.0058	10	ND	0.0097	10	ND	0.0096	20	ND	0.0213
12/11/2020	ND	ND	<0.0010	1	ND	0.0010	6	ND	0.0059	2	1	0.0029	6	1	0.0068
<b>BAAQMD Guidelines</b> <0.016 Structures/cc															

1 - Chrysotile Asbestos

2 - Amphibole Asbestos - Including regulated and non-regulated amphibole asbestos

3 - Structures/CC - Calculated Asbestos Structure Concentration per CC Air

ND

BAAQMD Guidelines Trigger Level for increased dust control measures