Comm Hill 2 Phase II Perimeter Sample Results

Week of June 29th through July 3rd, 2020

Sampling Date	P1			P2			Р3			P4			P5		
	Chrysotile	Amphibol	Structures	Chrysotile	Amphibol	Structures /cc	Chrysotile	Amphibol Stru	Structures	Chrysotile	Amphibol	Structures	Chrysotile	Amphibol	Structures
		е	/cc		е			е	/cc		е	/cc		е	/cc
6/29/2020	1	ND	0.0009	2	ND	0.0019	5	ND	0.0046	1	ND	0.0009	4	ND	0.0038
6/30/2020	1	ND	0.0009	ND	ND	<0.0009	1	ND	0.0009	5	ND	0.0048	ND	ND	<0.0009
7/1/2020	ND	ND	<0.0009	2	ND	0.0019	4	ND	0.0038	3	ND	0.0029	ND	ND	<0.0009
7/2/2020	ND	ND	<0.0009	ND	ND	<0.0010	ND	ND	<0.0010	3	ND	0.0028	11	ND	0.0105
7/3/2020	NM														
BAAC	BAAQMD		40 04 C Characterina o Los												
Guidelines		<0.016 Structures/cc													

Sampling		P6			Р7		P8			
Date	Chrysotile	Amphibol e	Structures /cc	Chrysotile	Amphibol	Structures	Chrysotile	Amphibol	Structures	3
					е	/cc³	Cili youthe	e ²	/cc³	L
6/29/2020	4	ND	0.0038	3	ND	0.0028	1	ND	0.0009	Ν
6/30/2020	11	ND	0.0104	7	ND	0.0066	9	ND	0.0087	В
7/1/2020	6	ND	0.0056	1	ND	0.0009	1	ND	0.0010	ı
7/2/2020	7	ND	0.0066	1	ND	0.0010	ND	ND	<0.0010	ı
7/3/2020										•
BAAC	MD	200661-11-1-1-1-1								
Guidelines		<0.016 Structures/cc								

1 - Chrysotile Asbestos

2 - Amphibole Asbestos - Including regulated and non-regulated amphibole asbestos

- Structures/CC - Calculated Asbestos Structure Concentration per CC Air

Indicates that no asbestos structures were detected in the grid openings scanned

BAAQMD Guidelines Trigger Level for increased dust control measures